



Dkos-45, Końcówka Wygięta Metryczna Ciężka, Z O-Ringiem, Stożek 24°

Liczba wariantów: **23**

Końcówka z kodem kończącym się na T = zamiennik



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	DN	Gwint	RA mm	SW mm	L1 mm	L2 mm	d mm	Pasujące połączenia
6042.91.0406	4/6	M 16x1.5	8	19	41.0	17.0	4.5	6052.0406
6042.91.0600	6	M 18x1.5	10	22	46.2	20.5	4.5	6052.0600
6042.91.0610	6/10	M 18x1.5	10	22	42.0	17.5	4.5	
6042.91.0608	6/8	M 18x1.5	10	22	47.0	18.0	5.5	-
6042.91.0800	8	M 20x1.5	12	24	49.3	21.7	5.5	6052.0800
6042.91.0806	8/6	M 20x1.5	12	24	41.0	17.0	4.5	6052.0806
6042.91.0810	8/10	M 20x1.5	12	24	49.3	21.7	7.0	6052.0810
6042.91.1000	8/10	M 22x1.5	14	27	49.8	22.2	7.0	6052.1000
6042.91.1008	10	M 22x1.5	14	27	52.5	26.0	5.5	-
6042.91.1013	10/8	M 22x1.5	14	27	57.0	21.0	9.7	-
6042.91.1300	10/13	M 24x1.5	16	30	53.8	23.5	9.7	6052.1300
6042.91.1316	13	M 24x1.5	16	30	70.0	27.0	13.1	-
6042.91.1600	13/16	M 30x2	20	36	59.8	27.7	13.1	6052.1600

Nr katalogowy	DN	Gwint	RA mm	SW mm	L1 mm	L2 mm	d mm	Pasujące połączenia
6042.91.1613	16/13	M 30x2	20	36	66.0	22.0	9.7	-
6042.91.1620	16/20	M 30x2	20	36	86.0	34.0	15.5	-
6042.91.2000	20	M 36x2	25	46	65.3	30.2	15.5	6052.2000
6042.91.2016	20/16	M 36x2	25	46	71.0	28.0	13.1	-
6042.91.2025	20/25	M 36x2	25	46	86.0	41.0	21.3	-
6042.91.2500	25	M 42x2	30	50	85.1	33.5	21.3	6052.2500
6042.91.2520	25/20	M 42x2	30	50	73.0	33.0	15.5	6052.2520
6042.91.3200	32	M 52x2	38	60	104.8	43.2	28.2	6052.3200
6042.91.3225	32/25	M 52x2	38	60	87.7	38.0	21.3	6052.3225
6042.91.3240	32/40	M 52x2	38	60	114.0	53.0	33.3	-