



Dkm-45, Końcówka Wygięta Metryczna Lekka Z Gwintem Wewnętrznym, Stożek 60°

Liczba wariantów: **26**

Uwaga:

Końcówka dostępna wyłącznie na specjalne zamówienie!

Końcówka z kodem kończącym się na T = zamiennik



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	DN	Rozmiar cal	Ø mm	Gwint	SW / hex mm	L2 mm	L1 mm	L mm
6040.91.1004	5	3/16	3	M 10x1	15	17	40	65
6040.91.1204	5	3/16	3	M 12x1,5	17	17	40	65
6040.91.1006	6	1/4	4	M 10x1	15	17	40	68
6040.91.1206	6	1/4	4	M 12x1,5	17	17	40	68
6040.91.1406	6	1/4	4	M 14x1,5	19	17	40	68
6040.91.1606	6	1/4	4	M 16x1,5	22	20	43	71
6040.91.1806	6	1/4	4	M 18x1,5	24	20	43	71
6040.91.1408	8	5/16	5	M 14x1,5	19	17	40	68
6040.91.1608	8	5/16	5	M 16x1,5	22	20	43	71
6040.91.1808	8	5/16	5	M 18x1,5	24	20	43	71
6040.91.1410	10	3/8	6	M 14x1,5	19	20	55	85
6040.91.1610	10	3/8	6	M 16x1,5	22	20	55	85
6040.91.1810	10	3/8	6	M 18x1,5	24	20	55	85

Nr katalogowy	DN	Rozmiar cal	Ø mm	Gwint	SW / hex mm	L2 mm	L1 mm	L mm
6040.91.2010	10	3/8	6	M 20x1,5	27	23	58	88
6040.91.2210	10	3/8	6	M 22x1,5	27	23	58	88
6040.91.1813	12	1/2	8	M 18x1,5	24	23	65	98
6040.91.2013	12	1/2	8	M 20x1,5	27	23	65	98
6040.91.2213	12	1/2	8	M 22x1,5	27	23	65	98
6040.91.2413	12	1/2	8	M 24x1,5	30	21	66	99
6040.91.2613	12	1/2	8	M 26x1,5	32	21	66	99
6040.91.2616	16	5/8	10	M 26x1,5	32	26	64	100
6040.91.2620	20	3/4	12	M 26x1,5	32	29	63	104
6040.91.3020	20	3/4	12	M 30x1,5	34	31	65	105
6040.91.3825	25	1	16	M 38x1,5	46	41	90	145
6040.91.4532	32	1 1/4	20	M 45x1,5	-	-	-	-
6040.91.5240	40	1 1/2	24	M 52x1,5	-	-	-	-