



Złącze Grodziowe Spawalne Typ: Tn 117

Liczba wariantów: **20**



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	Seria	Ø d1 mm	Ciśnienie pracy bar	Ø G2 mm	L mm	L1 mm	CH1 mm	Waga 100 szt. kg
1AX117LO06	L	6	315	18	85	56	14	13,1
1AX117LO08	L	8	315	20	85	56	17	16,2
1AX117LO10	L	10	315	22	87	58	19	19,5
1AX117LO12	L	12	315	25	87	58	22	24,1
1AX117LO15	L	15	315	28	100	70	27	35,3
1AX117LO18	L	18	315	32	101	69	32	46,9
1AX117LO22	L	22	160	36	105	73	36	58,2
1AX117LO28	L	28	160	40	106	73	41	66,0
1AX117LO35	L	35	160	50	114	71	50	102,9
1AX117LO42	L	42	160	60	115	70	60	148,1
1AX117SO06	S	6	630	20	89	60	17	16,9
1AX117SO08	S	8	630	22	89	60	19	20,4
1AX117SO10	S	10	630	25	91	59	22	27,0

Nr katalogowy	Seria	Ø d1 mm	Ciśnienie pracy bar	Ø G2 mm	L mm	L1 mm	CH1 mm	Waga 100 szt. kg
1AX117SO12	S	12	630	28	91	59	24	33,1
1AX117SO14	S	14	630	30	107	72	27	44,7
1AX117SO16	S	16	400	35	107	71	30	57,8
1AX117SO20	S	20	400	38	114	71	36	73,2
1AX117SO25	S	25	400	45	120	72	46	114,6
1AX117SO30	S	30	400	50	126	73	50	134,4
1AX117SO38	S	38	315	60	133	72	60	191,3