



Przyłącze Proste Typ: Tn 93

Liczba wariantów: **36**



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy R	Nr katalogowy M	Nr katalogowy NPT	Seria	Ø d1 mm	Ciśnienie pracy bar	Ø F2 R cal	Ø F2 M mm	Ø F2 NPT cal	I R mm	I M mm	I NPT mm	L mm	L1 mm	CH1 mm	CH2 mm
TN93-4LLR	TN93-4LLM	TN93-4LLNPT	LL	4	100	1/8'	8x1	1/8'	8	8	10	18	8	10	11
TN93-5LLR	TN93-5LLM	TN93-5LLNPT	LL	5	100	1/8'	8x1	1/8'	8	8	10	18	6,5	12	11
TN93-6LLR	TN93-6LLM	TN93-6LLNPT	LL	6	100	1/8'	10x1	1/8'	8	8	10	18	6,5	12	11
TN93-8LLR	TN93-8LLM	TN93-8LLNPT	LL	8	100	1/8'	10x1	1/8'	8	8	10	20	8,5	14	12
TN93-8LLR1/4'	-	-	LL	8	100	1/4'	-	-	12	-	-	20	8,5	14	14
TN93-10LLR	-	-	LL	10	100	1/4'	-	-	12	-	-	20	8,5	17	14
TN93-12LLR	-	-	LL	12	100	1/4'	-	-	12	-	-	20	8	19	17
TN93-12LLR3/8'	-	-	LL	12	100	3/8'	-	-	12	-	-	20	8	19	17
TN93-6LR	TN93-6LM	TN93-6LNPT	L	6	315	1/8'	10x1	1/8'	10	10	10	23	7	14	12
TN93-6LR1/4'	-	TN93-6LNPT1/4'	L	6	315	1/4'	-	1/4'	13	-	15	24	8	14	17
TN93-8LR	TN93-8LM	TN93-8LNPT	L	8	315	1/4'	12x1,5	1/4'	13	12	15	25	8	17	17
TN93-8LR3/8'	-	TN93-8LNPT3/8'	L	8	315	3/8'	-	3/8'	13	-	15	26	9	17	19
TN93-10LR	TN93-10LM	TN93-10LNPT	L	10	315	1/4'	14x1,5	1/4'	13	12	15	26	9	19	17
TN93-10LR3/8'	-	TN93-10LNPT3/8'	L	10	315	3/8'	-	3/8'	13	-	15	27	10	19	19
TN93-12LR1/4'	-	TN93-12LNPT1/4'	L	12	315	1/4'	-	1/4'	13	-	15	27	10	22	19
TN93-12LR	TN93-12LM	TN93-12LNPT	L	12	315	3/8'	16x1,5	3/8'	13	12	15	27	10	22	19
TN93-12LR1/2'	-	TN93-12LNPT1/2'	L	12	315	1/2'	-	1/2'	16	-	20	27	10	22	22

Nr katalogowy R	Nr katalogowy M	Nr katalogowy NPT	Seria	Ø d1 mm	Ciśnienie pracy bar	Ø F2 R cal	Ø F2 M mm	Ø F2 NPT cal	I R mm	I M mm	I NPT mm	L mm	L1 mm	CH1 mm	CH2 mm
TN93-15LR	TN93-15LM	TN93-15LNPT	L	15	315	1/2'	18x1,5	1/2'	16	12	20	29	11	27	24
TN93-18LR	TN93-18LM	TN93-18LNPT	L	18	315	1/2'	22x1,5	1/2'	16	14	20	31	11,5	32	27
TN93-22LR	TN93-22LM	TN93-22LNPT	L	22	160	3/4'	26x1,5	3/4'	18	18	20	33	13,5	36	32
TN93-28LR	TN93-28LM	TN93-28LNPT	L	28	160	1'	33x2	1'	20	20	25	34	14,5	41	41
TN93-35LR	TN93-35LM	TN93-35LNPT	L	35	160	1 1/4'	42x2	1 1/4'	21	21	26	39	14,5	50	46
TN93-42LR	TN93-42LM	TN93-42LNPT	L	42	160	1 1/2'	48x2	1 1/2'	22	22	26	42	16	60	55
TN93-6SR	TN93-6SM	TN93-6SNPT	S	6	630	1/4'	12x1,5	1/4'	13	12	15	28	12	17	17
TN93-8SR	TN93-8SM	TN93-8SNPT	S	8	630	1/4'	14x1,5	1/4'	13	12	15	30	13	19	17
TN93-10SR1/4'	-	TN93-10SNPT1/4'	S	10	630	1/4'	-	1/4'	13	-	15	31	12,5	22	19
TN93-10SR	TN93-10SM	TN93-10SNPT	S	10	630	3/8'	16x1,5	3/8'	13	12	15	31	12,5	22	19
TN93-12SR1/4'	-	TN93-12SNPT1/4'	S	12	630	1/4'	-	1/4'	13	-	15	33	14,5	24	22
TN93-12SR	TN93-12SM	TN93-12SNPT	S	12	630	3/8'	18x1,5	3/8'	13	12	15	33	14,5	24	22
TN93-12SR1/2'	-	TN93-12SNPT1/2'	S	12	630	1/2'	-	1/2'	16	-	20	33	14,5	24	22
TN93-14SR	TN93-14SM	TN93-14SNPT	S	14	630	1/2'	20x1,5	1/2'	16	14	20	37	16	27	24
TN93-16SR	TN93-16SM	TN93-16SNPT	S	16	400	1/2'	22x1,5	1/2'	16	14	20	37	17,5	30	27
TN93-20SR	TN93-20SM	TN93-20SNPT	S	20	400	3/4'	27x2	3/4'	18	18	20	42	17,5	36	32
TN93-25SR	TN93-25SM	TN93-25SNPT	S	25	400	1'	33x2	1'	20	20	25	47	18	46	41
TN93-30SR	TN93-30SM	TN93-30SNPT	S	30	400	1 1/4'	42x2	1 1/4'	21	21	26	50	19,5	50	46

Nr katalogowy R	Nr katalogowy M	Nr katalogowy NPT	Seria	Ø d1 mm	Ciśnienie pracy bar	Ø F2 R cal	Ø F2 M mm	Ø F2 NPT cal	I R mm	I M mm	I NPT mm	L mm	L1 mm	CH1 mm	CH2 mm
TN93-38SR	TN93-38SM	TN93-30SNPT	S	38	315	1 1/2'	48x2	1 1/2'	22	22	26	57	22	60	55