



Złącze Banjo Calowe Typ: Tn 111 R

Liczba wariantów: **24**



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	Seria	Ø d1 mm	Ciśnienie pracy bar	l mm	L10 mm	L11 mm	L12 mm	Ø N mm	CH1 mm	CH2 mm	CH mm	Ø F cal	Waga 100 szt. kg
TNIII-4LLR	LL	4	100	6	13	10	22	14	10	14	18	1/8'	4
TNIII-5LLR	LL	5	100	6	11,5	10	22	14	12	14	18	1/8'	4,5
TNIII-6LLR	LL	6	100	6	11,5	10	22	14	12	14	18	1/8'	4,9
TNIII-8LLR	LL	8	100	6	12,5	10	22	14	14	14	18	1/8'	5,6
TNIII-6LR	L	6	315	6	12	10	22	14	14	14	18	1/8'	6
TNIII-8LR	L	8	315	12	14	15,5	30,5	18	17	19	22	1/4'	10,6
TNIII-10LR	L	10	315	12	15	15,5	30,5	18	19	19	22	1/4'	11,5
TNIII-12LR	L	12	315	12	17,5	18	38,5	22	22	24	30	3/8'	18,5
TNIII-15LR	L	15	315	14	21	20	44,5	26	27	27	32	1/2'	26
TNIII-18LR	L	18	315	14	20,5	20	44,5	26	32	27	32	1/2'	29
TNIII-22LR	L	22	160	16	24,5	24	53	32	36	32	41	3/4'	59
TNIII-28LR	L	28	160	18	29,5	29	64	44	41	41	52	1'	89

Nr katalogowy	Seria	Ø d1 mm	Ciśnienie pracy bar	l mm	L10 mm	L11 mm	L12 mm	Ø N mm	CH1 mm	CH2 mm	CH mm	Ø F cal	Waga 100 szt. kg
TNIII-35LR	L	35	160	20	35,5	36	79	49	50	50	62	1 1/4'	124
TNIII-42LR	L	42	160	22	40	41,5	90	55	60	55	70	1 1/2'	235
TNIII-6SR	S	6	400	12	16	15,5	30,5	18	17	19	22	1/4'	11,2
TNIII-8SR	S	8	400	12	16	15,5	30,5	18	19	19	22	1/4'	12
TNIII-10SR	S	10	400	12	18	18	38,5	22	22	24	30	3/8'	20
TNIII-12SR	S	12	400	12	18	18	38,5	22	24	24	30	3/8'	22
TNIII-14SR	S	14	400	14	24	21	45,5	26	27	27	36	1/2'	30,5
TNIII-16SR	S	16	400	14	23,5	21	45,5	26	30	27	36	1/2'	42
TNIII-20SR	S	20	400	16	28,5	28	61	32	36	32	41	3/4'	80
TNIII-25SR	S	25	250	18	31	31	68	39	46	41	52	1'	120
TNIII-30SR	S	30	250	20	36,5	36,5	79	49	50	50	62	1 1/4'	200
TNIII-38SR	S	38	250	22	41	41,5	90	55	60	55	70	1 1/2'	285