




Złącze Banjo Metryczne Typ: Tn 111 M

Liczba wariantów: **24**



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	Seria	Ø d1 mm	Ciśnienie pracy bar	l mm	L10 mm	L11 mm	L12 mm	Ø N mm	CH1 mm	CH2 mm	CH mm	Ø F mm	Waga 100 szt. kg
TNIII-4LLM	LL	4	100	6	13	10	22	14	10	14	18	8x1	4
TNIII-5LLM	LL	5	100	6	11,5	10	22	14	12	14	18	8x1	4,5
TNIII-6LLM	LL	6	100	6	11,5	10	22	14	12	14	18	10x1	4,5
TNIII-8LLM	LL	8	100	6	12,5	10	22	14	14	14	18	10x1	5
TNIII-6LM	L	6	315	6	12	10	22	14	14	14	18	10x1	6
TNIII-8LM	L	8	315	12	13	14,5	29,5	17	17	17	20	12x1,5	10
TNIII-10LM	L	10	315	12	15	15,5	30,5	18	19	19	22	14x1,5	11,5
TNIII-12LM	L	12	315	12	17,5	18	38,5	22	22	24	30	16x1,5	18,5
TNIII-15LM	L	15	315	14	21	20	42,5	22	27	24	32	18x1,5	23,5
TNIII-18LM	L	18	315	14	22,5	20,5	45,5	26	32	27	36	22x1,5	29
TNIII-22LM	L	22	160	16	22	24	53	32	36	32	41	26x1,5	59
TNIII-28LM	L	28	160	18	29,5	29	64	44	41	41	52	33x2	89

Nr katalogowy	Seria	Ø d1 mm	Ciśnienie pracy bar	l mm	L10 mm	L11 mm	L12 mm	Ø N mm	CH1 mm	CH2 mm	CH mm	Ø F mm	Waga 100 szt. kg
TNIII-35LM	L	35	160	20	35,5	36	79	49	50	50	62	42x2	124
TNIII-42LM	L	42	160	22	40	41	90	55	60	55	70	48x2	235
TNIII-6SM	S	6	400	12	15	14,5	29,5	17	17	17	20	12x1,5	10,4
TNIII-8SM	S	8	400	12	16	15,5	30,5	18	19	19	22	14x1,5	12
TNIII-10SM	S	10	400	12	18	18	38,5	22	22	24	30	16x1,5	20
TNIII-12SM	S	12	400	12	19,5	19,5	42,5	22	24	24	30	18x1,5	22
TNIII-14SM	S	14	400	14	24	20,5	45,5	26	27	27	36	20x1,5	30,5
TNIII-16SM	S	16	400	14	23,5	22,5	48,5	26	30	27	36	22x1,5	42
TNIII-20SM	S	20	400	16	28,5	28,5	61	32	36	32	41	27x2	80
TNIII-25SM	S	25	250	18	31	31	68	39	46	41	52	33x2	120
TNIII-30SM	S	30	250	20	36,5	36	79	49	50	50	62	42x2	200
TNIII-38SM	S	38	250	22	41	41	90	55	60	55	70	48x2	285