



Złącze Banjo Calowe Typ: Tn 131 R

Liczba wariantów: **18**



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	Seria	Ø d1 mm	Ciśnienie pracy bar	CH mm	CH1 mm	CH2 mm	I mm	Ø F cal	Ø N mm	L mm	L10 mm	L11 mm	L12 mm	Waga 100 szt. kg
TN131-4LLR	LL	4	100	14	10	14	6	1/8'	14,5	20	13	10	21,5	3
TN131-5LLR	LL	5	100	14	12	14	6	1/8'	14,5	20	11,5	10	21,5	3,3
TN131-6LLR	LL	6	100	14	12	14	6	1/8'	14,5	20	11,5	10	21,5	3,4
TN131-8LLR	LL	8	100	14	14	14	6	1/8'	14,5	21	12,5	10	21,5	3,7
TN131-6LR	L	6	250	14	14	14	6	1/8'	14,5	26	11	10	21,5	4,2
TN131-8LR	L	8	250	19	17	19	9	1/4'	18,5	28	14	13	27,5	7,8
TN131-10LR	L	10	250	19	19	19	9	1/4'	18,5	29	13,5	13	27,5	8,5
TN131-12LR	L	12	250	22	22	22	9	3/8'	22,5	30	16	16	34	14,5
TN131-15LR	L	15	250	30	27	27	11	1/2'	26,5	34	19,5	22	45	19,5
TN131-18LR	L	18	160	30	32	27	11	1/2'	26	36	19,5	21	44	21
TN131-22LR	L	22	160	36	36	32	13	3/4'	32	42	25,5	23	48	39
TN131-6SR	S	6	250	19	17	19	9	1/4'	18,5	30	14,5	13	27,5	8
TN131-8SR	S	8	250	19	19	19	9	1/4'	18,5	30	14,5	13	27,5	9,7

Nr katalogowy	Seria	Ø d1 mm	Ciśnienie pracy bar	CH mm	CH1 mm	CH2 mm	I mm	Ø F cal	Ø N mm	L mm	L10 mm	L11 mm	L12 mm	Waga 100 szt. kg
TN131-10SR	S	10	250	22	22	22	9	3/8'	22,5	33	15,5	16	34	12,5
TN131-12SR	S	12	250	22	24	22	9	3/8'	22,5	33	15,5	16	34	14,5
TN131-14SR	S	14	250	30	27	27	11	1/2'	26,5	38	19,5	22	45	21,6
TN131-16SR	S	16	160	30	30	27	11	1/2'	26	39	19	21	44	28
TN131-20SR	S	20	160	36	36	32	13	3/4'	32	45	22,5	23	48	43