



Przyłącze Proste Typ: Tn 126 Npt, Tn 126A Npt

Liczba wariantów: **20**



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	Nr katalogowy	Seria	Ø d1 mm	Ciśnienie pracy bar	L mm	Ø F cal	Ø D mm	I mm	CH2 mm	Ø F1 mm	CH1 mm	Waga 100 szt. TN 126 kg	Waga 100 szt. TN 126A kg
TN126-6LNPT	TN126A-6LNPT	L	6	315	33	1/8'	6	10	11	12x1,5	14	1,5	2,4
TN126-8LNPT	TN126A-8LNPT	L	8	315	39	1/4'	8	15	14	14x1,5	17	2,5	4,4
TN126-10LNPT	TN126A-10LNPT	L	10	315	40	1/4'	10	15	14	16x1,5	19	2,7	4,7
TN126-12LNPT	TN126A-12LNPT	L	12	315	44,5	3/8'	12	15	19	18x1,5	22	3,7	6,9
TN126-15LNPT	TN126A-15LNPT	L	15	315	48	1/2'	15	20	22	22x1,5	27	7,2	10,6
TN126x18LNPT	TN126A-18LNPT	L	18	315	49	1/2'	18	20	22	26x1,5	32	7,5	14,5
TN126-22LNPT	TN126A-22LNPT	L	22	160	49	3/4'	22	20	27	30x2	36	9	17,9
TN126-28LNPT	TN126A-28LNPT	L	28	160	55,5	1'	28	25	36	36x2	41	15,7	26
TN126-35LNPT	TN126A-35LNPT	L	35	160	63	1 1/4'	35	26	46	45x2	50	26,2	41,7
TN126-42LNPT	TN126A-42LNPT	L	42	160	65	1 1/2'	42	26	50	52x2	60	29,3	46,1
TN126-SNPT	TN126A-6SNPT	S	6	630	40	1/4'	6	15	14	14x1,5	17	3,5	5,2
TN126-8SNPT	TN126A-8SNPT	S	8	630	40	1/4'	8	15	14	16x1,5	19	3,7	5,4

Nr katalogowy	Nr katalogowy	Seria	Ø d1 mm	Ciśnienie pracy bar	L mm	Ø F cal	Ø D mm	I mm	CH2 mm	Ø F1 mm	CH1 mm	Waga 100 szt. TN 126 kg	Waga 100 szt. TN 126A kg
TN126-10SNPT	TN126A-10SNPT	S	10	630	44	3/8'	10	15	19	18x1,5	22	4,9	8,4
TN126-12SNPT	TN126A-12SNPT	S	12	630	44,5	3/8'	12	15	19	20x1,5	24	5,6	9,2
TN126-14SNPT	TN126A-14SNPT	S	14	630	53,5	1/2'	14	20	22	22x1,5	27	9	15,5
TN126-16SNPT	TN126A-16SNPT	S	16	400	53,5	1/2'	16	20	22	24x1,5	30	9,4	16,8
TN126-20SNPT	TN126A-20SNPT	S	20	400	58	3/4'	20	20	27	30x2	36	15	25,1
TN126-25SNPT	TN126A-25SNPT	S	25	400	68,5	1'	25	25	36	36x2	46	26	47,7
TN126-30SNPT	TN126A-30SNPT	S	30	400	73,5	1 1/4'	30	26	46	42x2	50	41,4	66
TN126-38SNPT	TN126A-38SNPT	S	38	315	78	1 1/2'	38	26	50	52x2	60	56	88