


Przyłącze Redukcyjne Typ: Tn 143 R

Liczba wariantów: 36



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	Typ	Ø F2 cal	Ø F1 cal	L mm	l mm	CH mm	Waga 100 szt. kg
TN143-3/8'x1/8'R	A	3/8'	1/8'	20	12	22	4,4
TN143-1/2'x1/8'R	A	1/2'	1/8'	22	14	27	7
TN143-1/2'x1/4'R	A	1/2'	1/4'	22	14	27	6,4
TN143-3/4'x1/4'R	A	3/4'	1/4'	25	16	32	9,9
TN143-3/4'x3/8'R	A	3/4'	3/8'	25	16	32	9,5
TN143-1'x1/4'R	A	1'	1/4'	28	18	41	20,7
TN143-1'x3/8'R	A	1'	3/8'	28	18	41	18,7
TN143-1'x1/2'R	A	1'	1/2'	28	18	41	16,6
TN143-1'1/4x1/2'R	A	1 1/4'	1/2'	32	20	50	31,7
TN143-1'1/4x3/4'R	A	1 1/4'	3/4'	32	20	50	27,7
TN143-1'1/2x1/2'R	A	1 1/2'	1/2'	37	22	55	48
TN143-1'1/2x3/4'R	A	1 1/2'	3/4'	37	22	55	43,9
TN143-1'1/2x1'R	A	1 1/2'	1'	37	22	55	34,3
TN143-1/8'x1/4'R	B	1/8'	1/4'	26	8	19	4

Nr katalogowy	Typ	Ø F2 cal	Ø F1 cal	L mm	I mm	CH mm	Waga 100 szt. kg
TN143-1/8'x3/8'R	B	1/8'	3/8'	26	8	24	5
TN143-1/4'x1/8'R	B	1/4'	1/8'	29	14	19	4,1
TN143-1/4'x3/8'R	B	1/4'	3/8'	34	14	24	7,1
TN143-1/4'x1/2'R	B	1/4'	1/2'	40	14	32	9,6
TN143-1/4'x3/4'R	B	1/4'	3/4'	40	14	36	17,9
TN143-3/8'x1/4'R	B	3/8'	1/4'	32	14	22	3,7
TN143-3/8'x1/2'R	B	3/8'	1/2'	38	14	32	9,7
TN143-3/8'x3/4'R	B	3/8'	3/4'	38	14	36	18,2
TN143-1/2'x3/8'R	B	1/2'	3/8'	36	16	27	10,1
TN143-1/2'x3/4'R	B	1/2'	3/4'	43	16	36	18,5
TN143-1/2'x1'R	B	1/2'	1'	50	16	46	23,1
TN143-1/2'x1 1/4'R	B	1/2'	1 1/4'	50	16	55	47,8
TN143-3/4'x1/2'R	B	3/4'	1/2'	43	18	32	15,4
TN143-3/4'x1'R	B	3/4'	1'	50	18	46	24,1
TN143-3/4'x1 1/4'R	B	3/4'	1 1/4'	50	18	55	49
TN143-3/4'x1 1/2'R	B	3/4'	1 1/2'	50	18	60	55,5

Nr katalogowy	Typ	Ø F2 cal	Ø F1 cal	L mm	I mm	CH mm	Waga 100 szt. kg
TN143-1'x3/4'R	B	1'	3/4'	48	20	41	28,7
TN143-1'x1'1/4R	B	1'	1 1/4'	54	20	55	53,7
TN143-1'x1'1/2R	B	1'	1 1/2'	54	20	60	57,5
TN143-1'1/4x1'R	B	1 1/4'	1'	52	22	50	45,3
TN143-1'1/4x1'1/2R	B	1 1/4'	1 1/2'	57	22	60	59
TN143-1'1/2x1'1/4R	B	1 1/2'	1 1/4'	57	24	55	54