


Przyłącze Redukcyjne Typ: Tn 143 Npt

Liczba wariantów: **36**



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	Typ	Ø F2 cal	Ø F1 cal	L mm	l mm	CH mm	Waga 100 szt. kg
TN143-3/8'x1/8'NPT	A	3/8'	1/8'	23	15	22	4,4
TN143-1/2'x1/8'NPT	A	1/2'	1/8'	28	20	27	7
TN143-1/2'x1/4'NPT	A	1/2'	1/4'	28	20	27	6,4
TN143-3/4'x1/4'NPT	A	3/4'	1/4'	29	20	32	9,9
TN143-3/4'x3/8'NPT	A	3/4'	3/8'	29	20	32	9,5
TN143-1'x1/4'NPT	A	1'	1/4'	35	25	41	20,7
TN143-1'x3/8'NPT	A	1'	3/8'	35	25	41	18,7
TN143-1'x1/2'NPT	A	1'	1/2'	35	25	41	16,6
TN143-1'1/4x1/2'NPT	A	1 1/4'	1/2'	37	25	50	31,7
TN143-1'1/4x3/4'NPT	A	1 1/4'	3/4'	37	25	50	27,7
TN143-1'1/2x1/2'NPT	A	1 1/2'	1/2'	41	26	55	48
TN143-1'1/2x3/4'NPT	A	1 1/2'	3/4'	41	26	55	43,9
TN143-1'1/2x1'NPT	A	1 1/2'	1'	41	26	55	34,3
TN143-1/8'x1/4'NPT	B	1/8'	1/4'	29	8	19	4

Nr katalogowy	Typ	Ø F2 cal	Ø F1 cal	L mm	l mm	CH mm	Waga 100 szt. kg
TN143-1/8'x3/8'NPT	B	1/8'	3/8'	31	8	24	5
TN143-1/4'x1/8'NPT	B	1/4'	1/8'	29	14	19	4,1
TN143-1/4'x3/8'NPT	B	1/4'	3/8'	39	14	24	7,1
TN143-1/4'x1/2'NPT	B	1/4'	1/2'	46	14	32	9,6
TN143-1/4'x3/4'NPT	B	1/4'	3/4'	46	14	36	17,9
TN143-3/8'x1/4'NPT	B	3/8'	1/4'	36	15	22	3,7
TN143-3/8'x1/2'NPT	B	3/8'	1/2'	47	15	32	9,7
TN143-3/8'x3/4'NPT	B	3/8'	3/4'	47	15	36	18,2
TN143-1/2'x3/8'NPT	B	1/2'	3/8'	43	20	27	10,1
TN143-1/2'x3/4'NPT	B	1/2'	3/4'	53	20	36	18,5
TN143-1/2'x1'NPT	B	1/2'	1'	60	20	46	23,1
TN143-1/2'x1 1/4'NPT	B	1/2'	1 1/4'	60	20	55	47,8
TN143-3/4'x1/2'NPT	B	3/4'	1/2'	53	20	32	15,4
TN143-3/4'x1'NPT	B	3/4'	1'	60	20	46	24,1
TN143-3/4'x1 1/4'NPT	B	3/4'	1 1/4'	60	20	55	49
TN143-3/4'x1 1/2'NPT	B	3/4'	1 1/2'	60	20	60	55,5

Nr katalogowy	Typ	Ø F2 cal	Ø F1 cal	L mm	I mm	CH mm	Waga 100 szt. kg
TN143-1'x3/4'NPT	B	1'	3/4'	58	25	41	28,7
TN143-1'x1'1/4NPT	B	1'	1 1/4'	65	25	55	53,7
TN143-1'x1'1/2NPT	B	1'	1 1/2'	65	25	60	57,5
TN143-1'1/4x1'NPT	B	1 1/4'	1'	65	25	50	45,3
TN143-1'1/4x1'1/2NPT	B	1 1/4'	1 1/2'	65	25	60	59
TN143-1'1/2x1'1/4NPT	B	1 1/2'	1 1/4'	66	26	55	54