


Złącze Proste Typ: Tn 498

Liczba wariantów: **20**



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	Seria	Ø d1 mm	Ciśnienie pracy bar	L2 mm	L3 mm	CH1 mm	O-Ring mm	Waga 100 szt. kg
1B-498LO06	L	6	315	34	35	14	4x1,5	2,8
1B-498LO08	L	8	315	34	35	17	6x1,5	4,3
1B-498LO10	L	10	315	36	37	19	7,5x1,5	5,5
1B-498LO12	L	12	315	36	37	22	9x1,5	7,3
1B-498LO15	L	15	315	39	40	27	12x2	13,1
1B-498LO18	L	18	315	40,5	41,5	32	15x2	17,6
1B-498LO22	L	22	160	45	46	36	20x2	28,5
1B-498LO28	L	28	160	47	48	41	26x2	32,8
1B-498LO35	L	35	160	53	56	50	32x2,5	47,8
1B-498LO42	L	42	160	53	57	60	38x2,5	78,3
1B-498SO06	S	6	630	37	38	17	4x1,5	4,3
1B-498SO08	S	8	630	37	38	19	6x1,5	5,7
1B-498SO10	S	10	630	41	43	22	7,5x1,5	8

Nr katalogowy	Seria	Ø d1 mm	Ciśnienie pracy bar	L2 mm	L3 mm	CH1 mm	O-Ring mm	Waga 100 szt. kg
1B-498SO12	S	12	630	42	44	24	9x1,5	9,8
1B-498SO14	S	14	630	45	48	27	10x2	14,1
1B-498SO16	S	16	400	46	49	30	12x2	17,8
1B-498SO20	S	20	400	55	59	36	16,3x2,4	29,1
1B-498SO25	S	25	400	58	65	46	20,3x2,4	53,1
1B-498SO30	S	30	400	62	71	50	25,3x2,4	65,8
1B-498SO38	S	38	315	67	82	60	33,3x2,4	93,9