



Przyłącze Proste Typ: Ba. 25

Liczba wariantów: **38**



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	Ø R mm	Ø R cal	Ø R-UNF JIC 37° cal	Ø R2 NPT cal	B mm	C mm	C2 mm	CH mm	Ciśnienie pracy bar
OBA250402	6	1/4'	7/16'	1/8'	31	14	9,7	13	350
OBA250404	6	1/4'	7/16'	1/4'	36	14	14,2	14	350
OBA250406	6	1/4'	7/16'	3/8'	37	14	14,2	19	350
OBA250408	6	1/4'	7/16'	1/2'	42,5	14	19	22	350
OBA250502	8	5/16'	1/2'	1/8'	31	14	9,7	14	350
OBA250504	8	5/16'	1/2'	1/4'	36,1	14	14,2	14	350
OBA250602	10	3/8'	9/16'	1/8'	31,8	14,1	9,7	16	350
OBA250604	10	3/8'	9/16'	1/4'	36,3	14,1	14,2	16	350
OBA250606	10	3/8'	9/16'	3/8'	36,3	14,1	14,2	19	350
OBA250608	10	3/8'	9/16'	1/2'	42,5	14,1	19	22	350
OBA250804	12	1/2'	3/4'	1/4'	38,9	16,7	14,2	19	350
OBA250806	12	1/2'	3/4'	3/8'	38,9	16,7	14,2	19	350
OBA250808	12	1/2'	3/4'	1/2'	45,4	16,7	19	22	350

Nr katalogowy	Ø R mm	Ø R cal	Ø R-UNF JIC 37° cal	Ø R2 NPT cal	B mm	C mm	C2 mm	CH mm	Ciśnienie pracy bar
OBA250812	12	1/2'	3/4'	3/4'	47	16,7	19	27	350
OBA251006	14	-	7/8'	3/8'	43,1	19,3	14,2	24	350
OBA251006	15	-	7/8'	3/8'	43,1	19,3	14,2	24	350
OBA251006	16	5/8'	7/8'	3/8'	43,1	19,3	14,2	24	350
OBA251008	14	-	7/8'	1/2'	48	19,3	19	24	350
OBA251008	15	-	7/8'	1/2'	48	19,3	19	24	350
OBA251008	16	5/8'	7/8'	1/2'	48	19,3	19	24	350
OBA251012	14	-	7/8'	3/4'	49,5	19,3	19	27	350
OBA251012	15	-	7/8'	3/4'	49,5	19,3	19	27	350
OBA251012	16	5/8'	7/8'	3/4'	49,5	19,3	19	27	350
OBA251208	18	-	1 1/16'	1/2'	52,1	21,9	19	27	350
OBA251208	20	3/4'	1 1/16'	1/2'	52,1	21,9	19	27	350
OBA251212	18	-	1 1/16'	3/4'	52,3	21,9	19	27	350
OBA251212	20	3/4'	1 1/16'	3/4'	52,3	21,9	19	27	350
OBA251216	18	-	1 1/16'	1'	57,1	21,9	23,9	36	280

Nr katalogowy	Ø R mm	Ø R cal	Ø R-UNF JIC 37° cal	Ø R2 NPT cal	B mm	C mm	C2 mm	CH mm	Ciśnienie pracy bar
OBA251216	20	3/4'	1 1/16'	1'	57,1	21,9	23,9	36	280
OBA251608	25	1'	1 5/16'	1/2'	53,5	23,1	19	36	280
OBA251612	25	1'	1 5/16'	3/4'	53,5	23,1	19	36	280
OBA251616	25	1'	1 5/16'	1'	58,4	23,1	23,9	36	280
OBA252016	30	-	1 5/8'	1'	61,5	24,3	23,9	46	210
OBA252016	32	1 1/4'	1 5/8'	1'	61,5	24,3	23,9	46	210
OBA252020	30	-	1 5/8'	1 1/4'	62,2	24,3	24,6	46	210
OBA252020	32	1 1/4'	1 5/8'	1 1/4'	62,2	24,3	24,6	46	210
OBA252420	38	1 1/2'	1 7/8'	1 1/4'	68,1	27,5	24,6	50	140
OBA252424	38	1 1/2'	1 7/8'	1 1/2'	68,1	27,5	25,4	50	140