



Przyłącze Kątowe Typ: St. 07

Liczba wariantów: **20**



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	Ø R mm	Ø R cal	Ø R-UNF JIC 37° cal	Ø R2 metryczne cal	B mm	B2 mm	C2 mm	CH mm	CH1 mm	Ciśnienie pracy bar
00-ST070402	6	1/4'	7/16'	10x1	22,6	27	8,5	11	14	350
00-ST070503	8	5/16'	1/2'	12x1,5	24,1	29	11	13	17	350
00-ST070604	10	3/8'	9/16'	14x1,5	26,9	34	11	14	19	350
00-ST070805	12	1/2'	3/4'	16x1,5	31,8	36	11,5	19	22	350
00-ST070806	12	1/2'	3/4'	18x1,5	31,8	38	12,5	19	24	350
00-ST071006	14	-	7/8'	18x1,5	36,8	41,5	12,5	22	24	350
00-ST071006	15	-	7/8'	18x1,5	36,8	41,5	12,5	22	24	350
00-ST071006	16	5/8'	7/8'	18x1,5	36,8	41,5	12,5	22	24	350
00-ST071008	14	-	7/8'	22x1,5	36,8	42,5	12,5	22	27	350
00-ST071008	15	-	7/8'	22x1,5	36,8	42,5	12,5	22	27	350
00-ST071008	16	5/8'	7/8'	22x1,5	36,8	42,5	12,5	22	27	350
00-ST071208	18	-	1 1/16'	22x1,5	42,2	45	12,5	27	27	350
00-ST071208	20	3/4'	1 1/16'	22x1,5	42,2	45	12,5	27	27	350

Nr katalogowy	Ø R mm	Ø R cal	Ø R-UNF JIC 37° cal	Ø R2 metryczne cal	B mm	B2 mm	C2 mm	CH mm	CH1 mm	Ciśnienie pracy bar
00-ST071214	18	-	1 1/16'	27x2	42,2	51	15,5	27	32	350
00-ST071214	20	3/4'	1 1/16'	27x2	42,2	51	15,5	27	32	350
00-ST071614	25	1'	1 5/16'	27x2	46	53	15,5	33	32	280
00-ST071616	25	1'	1 5/16'	33x2	46	53	15,5	33	41	280
00-ST072020	30	-	1 5/8'	42x2	52,3	58	15,5	41	50	210
00-ST072020	32	1 1/4'	1 5/8'	42x2	52,3	58	15,5	41	50	210
00-ST072424	38	1 1/2'	1 7/8'	48x2	59,2	63,5	17	48	55	140