



Przyłącze Kątowe Typ: St. 11

Liczba wariantów: **40**



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	Ø R mm	Ø R cal	Ø R-UNF JIC 37° cal	Ø R2-NPT cal	B mm	B2 mm	CH mm	Ciśnienie pracy bar
OSTII0402	6	1/4'	7/16'	1/8'	22,6	19,8	11	350
OSTII0404	6	1/4'	7/16'	1/4'	26,9	27,7	14	350
OSTII0406	6	1/4'	7/16'	3/8'	28,5	29,7	19	350
OSTII0408	6	1/4'	7/16'	1/2'	31	36,5	22	350
OSTII0502	8	5/16'	1/2'	1/8'	24,1	19,8	13	350
OSTII0504	8	5/16'	1/2'	1/4'	26,9	27,7	14	350
OSTII0602	10	3/8'	9/16'	1/8'	26,9	22,8	14	350
OSTII0604	10	3/8'	9/16'	1/4'	26,9	27,7	14	350
OSTII0606	10	3/8'	9/16'	3/8'	29	31	19	350
OSTII0608	10	3/8'	9/16'	1/2'	31,2	37,3	22	350
OSTII0804	12	1/2'	3/4'	1/4'	31,8	31	19	350
OSTII0806	12	1/2'	3/4'	3/8'	31,8	31	19	350
OSTII0808	12	1/2'	3/4'	1/2'	33,7	37,3	22	350

Nr katalogowy	Ø R mm	Ø R cal	Ø R-UNF JIC 37° cal	Ø R2-NPT cal	B mm	B2 mm	CH mm	Ciśnienie pracy bar
OST110812	12	1/2'	3/4'	3/4'	36	40,4	27	350
OST111006	14	-	7/8'	3/8'	36,8	33	22	350
OST111006	15	-	7/8'	3/8'	36,8	33	22	350
OST111006	16	5/8'	7/8'	3/8'	36,8	37,3	22	350
OST111008	14	-	7/8'	1/2'	36,8	37,3	22	350
OST111008	15	-	7/8'	1/2'	36,8	37,3	22	350
OST111008	16	5/8'	7/8'	1/2'	36,8	37,3	22	350
OST111012	14	-	7/8'	3/4'	38,9	40,4	27	350
OST111012	15	-	7/8'	3/4'	38,9	40,4	27	350
OST111012	16	5/8'	7/8'	3/4'	42,2	40,4	27	350
OST111208	18	-	1 1/16'	1/2'	42,2	40,4	27	350
OST111208	20	3/4'	1 1/16'	1/2'	42,2	40,4	27	350
OST111212	18	-	1 1/16'	3/4'	42,2	40,4	27	350
OST111212	20	3/4'	1 1/16'	3/4'	42,2	40,4	27	350
OST111216	18	-	1 1/16'	1'	44,7	50	33	280

Nr katalogowy	Ø R mm	Ø R cal	Ø R-UNF JIC 37° cal	Ø R2-NPT cal	B mm	B2 mm	CH mm	Ciśnienie pracy bar
OSTIII216	20	3/4'	1 1/16'	1'	44,7	50	33	280
OSTIII612	25	1'	1 5/16'	3/4'	46	45,2	33	280
OSTIII616	25	1'	1 5/16'	1'	46	50	33	280
OSTIII620	25	1'	1 5/16'	1 1/4'	54	59,6	41	280
OSTII2016	30	-	1 5/8'	1'	52,3	59,6	41	210
OSTII2016	32	1 1/4'	1 5/8'	1'	52,3	59,6	41	210
OSTII2020	30	-	1 5/8'	1 1/4'	52,3	59,6	41	210
OSTII2020	32	1 1/4'	1 5/8'	1 1/4'	52,3	59,6	41	210
OSTII2024	30	-	1 5/8'	1 1/2'	56	67,1	48	140
OSTII2024	32	1 1/4'	1 5/8'	1 1/2'	56	67,1	48	140
OSTII2420	38	1 1/2'	1 7/8'	1 1/4'	59,2	57	48	140
OSTII2424	38	1 1/2'	1 7/8'	1 1/2'	59,2	67,1	48	140