




Przyłącze Kątowe Typ: St. 37

Liczba wariantów: 16



ZESKANUJ MNIE

Warianty produktu

Nr katalogowy	Ø R mm	Ø R cal	Ø R-UNF JIC 37° cal	Ø R2 metryczne mm	B mm	B2 mm	C2 mm	CH mm	CH1 mm	Ciśnienie pracy bar
OO-ST370502	8	5/16'	1/2'	10x1	21,1	29	8,5	14	14	350
OO-ST370604	10	3/8'	9/16'	14x1,5	21,1	29	11	14	19	350
OO-ST370606	10	3/8'	9/16'	18x1,5	22,3	33	12,5	19	24	350
OO-ST370805	12	1/2'	3/4'	16x1,5	24,9	32	11,5	19	22	350
OO-ST370806	12	1/2'	3/4'	18x1,5	24,9	36,5	12,5	19	24	350
OO-ST371006	14	-	7/8'	18x1,5	28,2	37	12,5	22	24	350
OO-ST371006	15	-	7/8'	18x1,5	28,2	37	12,5	22	24	350
OO-ST371006	16	5/8'	7/8'	18x1,5	28,2	37	12,5	22	24	350
OO-ST371008	14	-	7/8'	22x1,5	28,2	37,5	12,5	22	27	350
OO-ST371008	15	-	7/8'	22x1,5	28,2	37,5	12,5	22	27	350
OO-ST371008	16	5/8'	7/8'	22x1,5	28,2	37,5	12,5	22	27	350
OO-ST371208	18	-	1 1/16'	22x1,5	32,5	39	12,5	27	27	350
OO-ST371208	20	3/4'	1 1/16'	22x1,5	32,5	39	12,5	27	27	350

Nr katalogowy	Ø R mm	Ø R cal	Ø R-UNF JIC 37° cal	Ø R2 metryczne mm	B mm	B2 mm	C2 mm	CH mm	CH1 mm	Ciśnienie pracy bar
OO-ST37I2I4	18	-	1 1/16'	27x2	32,5	46	15,5	27	32	350
OO-ST37I2I4	20	3/4'	1 1/16'	27x2	32,5	46	15,5	27	32	350
OO-ST37I6I6	25	1'	1 5/16'	33x2	37,3	45,5	15,5	33	41	280