




Złącze Grodziowe Orfs Rk2140

Liczba wariantów: **16**



ZESKANUJ MNIE

Warianty produktu

Kod towaru	T Ø mm	T Ø cal	F	A mm	E mm	C mm	D mm	W mm	CH mm	Ciśnienie robocze bar	Ciśnienie max bar
RK2140-06	6	1/4	9/16-18	48	31,5	1,5	5	14,28	22	630	840
RK2140-08	8	5/16	11/16-16	53	34	1,5	6,5	17,45	27	630	840
RK2140-10	10	3/8	11/16-16	53	34	1,5	6,5	17,45	27	630	840
RK2140-12	12	1/2	13/16-16	58,5	36,5	2,5	9,5	20,63	30	630	840
RK2140-14	14	-	1-14	66,5	40,5	2,5	12,5	25,4	36	400	530
RK2140-15	15	-	1-14	66,5	40,5	2,5	12,5	25,4	36	400	530
RK2140-16	16	5/8	1-14	66,5	40,5	2,5	12,5	25,4	36	400	530
RK2140-18	18	-	1-3/16-12	70	42	3	16,5	36,5	41	400	530
RK2140-20	20	-	1-3/16-12	70	42	3	16,5	36,5	41	400	530
RK2140-22	22	-	1-7/16-12	70	42	3	20,5	36,5	46	400	530
RK2140-25	25	1	1-7/16-12	70	42	3	20,5	36,5	46	400	530
RK2140-28	28	-	1-11/16-12	70	42	3	26	42,8	50	250	330
RK2140-30	30	-	1-11/16-12	70	42	3	26	42,8	50	250	330

Kod towaru	T Ø mm	T Ø cal	F	A mm	E mm	C mm	D mm	W mm	CH mm	Ciśnienie robocze bar	Ciśnienie max bar
RK2140-32	32	1 1/4	1-11/16-12	70	42	3	26	42,8	50	250	330
RK2140-35	35	-	2-12	70	42	3	32	50,8	60	250	330
RK2140-38	38	1 1/2	2-12	70	42	3	32	50,8	60	250	330