




Złącze Kolankowe Orfs Rk2510

Liczba wariantów: **16**



ZESKANUJ MNIE

Warianty produktu

Kod towaru	T Ø mm	T Ø cal	F	B mm	D mm	CH mm	Ciśnienie robocze bar	Ciśnienie max bar
RK2510-06	6	1/4	9/16-18	21,5	5	14	630	840
RK2510-08	8	5/16	11/16-16	25	6,5	19	630	840
RK2510-10	10	3/8	11/16-16	25	6,5	19	630	840
RK2510-12	12	1/2	13/16-16	28	9,5	19	630	840
RK2510-14	14	-	1-14	33,5	12,5	27	400	530
RK2510-15	15	-	1-14	33,5	12,5	27	400	530
RK2510-16	16	5/8	1-14	33,5	12,5	27	400	530
RK2510-18	18	-	1-3/16-12	37,5	15,5	30	400	530
RK2510-20	20	3/4	1-3/16-12	37,5	15,5	30	400	530
RK2510-22	22	-	1-7/16-12	41,5	20,5	36	400	530
RK2510-25	25	1	1-7/16-12	41,5	20,5	36	400	530
RK2510-28	28	-	1-11/16-12	44,5	26	41	250	330
RK2510-30	30	-	1-11/16-12	44,5	26	41	250	330

Kod towaru	T Ø mm	T Ø cal	F	B mm	D mm	CH mm	Ciśnienie robocze bar	Ciśnienie max bar
RK2510-32	32	1 1/4	1-11/16-12	44,5	26	41	250	330
RK2510-35	35		2-12	49	32	48	250	330
RK2510-38	38	1 1/2	2-12	49	32	48	250	330