




Przyłącze Trójnikowe Metryk / Orfs Rk2600

Liczba wariantów: **16**



ZESKANUJ MNIE

Warianty produktu

Kod towaru	T Ø mm	T Ø cal	F	FI	A mm	B mm	Y mm	D mm	D1 mm	CH mm	Ciśnienie robocze bar	Ciśnienie max bar
RK2600-06-12	06	1/4	9/16-18	M12x1,5	43	21,5	33	5	4,4	14	400	530
RK2600-08-16	08	5/16	11/16-16	M16x1,5	50	25	37,5	6,5	7	19	400	530
RK2600-10-16	10	3/8	11/16-16	M16x1,5	50	25	37,5	6,5	7	19	400	530
RK2600-12-18	12	1/2	13/16-16	M18x1,5	56	28	41	9,5	9	19	400	530
RK2600-14-22	14	-	1-14	M22x1,5	67	33,5	48,7	12,5	12	27	400	530
RK2600-15-22	15	-	1-14	M22x1,5	67	33,5	48,7	12,5	12	27	400	530
RK2600-16-22	16	5/8	1-14	M22x1,5	67	33,5	48,7	12,5	12	27	400	530
RK2600-18-27	18	-	1-3/16-12	M27x2	75	37,5	55,5	15,5	15	30	400	530
RK2600-20-27	20	3/4	1-3/16-12	M27x2	75	37,5	55,5	15,5	15	30	400	530
RK2600-22-33	22	-	1-7/16-12	M33x2	83	41,5	59,5	20,5	20	36	400	530
RK2600-25-33	25	1	1-7/16-12	M33x2	83	41,5	59,5	20,5	20	36	400	530
RK2600-28-42	28	-	1-11/16-12	M42x2	89	44,5	63	26	26	41	250	330
RK2600-30-42	30	-	1-11/16-12	M42x2	89	44,5	63	26	26	41	250	330

Kod towaru	T Ø mm	T Ø cal	F	F1	A mm	B mm	Y mm	D mm	D1 mm	CH mm	Ciśnienie robocze bar	Ciśnienie max bar
RK2600-32-42	32	1 1/4	1-11/16-12	M42x2	89	44,5	63	26	26	41	250	330
RK2600-35-48	35	-	2-12	M48x2	98	49	73,5	32	32	48	250	330
RK2600-38-48	38	1 1/2	2-12	M48x2	98	49	73,5	32	32	48	250	330