




Przyłącze Kolankowe Z Nakrętką Orfs Rk2695

Liczba wariantów: **16**



ZESKANUJ MNIE

Warianty produktu

Kod towaru	T Ø mm	T Ø cal	F	F1	B mm	Y mm	D mm	D1 mm	CH mm	CH1 mm	Ciśnienie robocze bar	Ciśnienie max bar
RK2695-06-10	06	1/4	9/16-18	7/16-20	26,5	33	4,5	4,4	14	14	400	530
RK2695-08-14	08	5/16	11/16-16	9/16-18	29,5	36,8	6,5	6,5	19	19	400	530
RK2695-10-14	10	3/8	11/16-16	9/16-18	29,5	36,8	6,5	6,5	19	19	400	530
RK2695-12-19	12	1/2	13/16-16	3/4-16	38	40,6	9	9,5	19	24	400	530
RK2695-14-22	14	-	1-14	7/8-14	41	50	11,5	12,3	27	27	400	530
RK2695-15-22	15	-	1-14	7/8-14	41	50	11,5	12,3	27	27	400	530
RK2695-16-22	16	5/8	1-14	7/8-14	41	50	11,5	12,3	27	27	400	530
RK2695-18-27	18	-	1-3/16-12	1-1/16-12	46,5	55	14	15,5	30	32	400	530
RK2695-20-27	20	3/4	1-3/16-12	1-1/16-12	46,5	55	14	15,5	30	32	400	530
RK2695-22-33	22	-	1-7/16-12	1-5/16-12	53,5	59,7	20	20,5	36	38	320	400
RK2595-25-33	25	1	1-7/16-12	1-5/16-12	53,5	59,7	20	20,5	36	38	320	400
RK2695-28-42	28	-	1-11/16-12	1-5/8-12	58	62,3	26	26	41	50	250	330
RK2695-30-42	30	-	1-11/16-12	1-5/8-12	58	62,3	26	26	41	50	250	330

Kod towaru	T Ø mm	T Ø cal	F	F1	B mm	Y mm	D mm	D1 mm	CH mm	CH1 mm	Ciśnienie robocze bar	Ciśnienie max bar
RK2695-32-42	32	1 1/4	1-11/16-12	1-5/8-12	58	62,3	26	26	41	50	250	330
RK2695-35-48	35	-	2-12	1-7/8-12	61	66	32	32	48	55	250	330
RK2695-38-48	38	1 1/2	2-12	1-7/8-12	61	66	32	32	48	55	250	330