


Kolanko Grodziowe Orfs Rk2750

Liczba wariantów: **16**



ZESKANUJ MNIE

Warianty produktu

Kod towaru	T Ø mm	T Ø cal	F	B mm	Y mm	D mm	CH mm	C mm	E mm	W mm	Ciśnienie robocze bar	Ciśnienie max bar
RK2750-06-06	06	1/4	9/16-18	16	44	5	14	1,5	31,5	14,2	630	840
RK2750-08-08	08	5/16	11/16-16	19	48,5	6,5	19	1,5	34	34	630	840
RK2750-10-10	10	3/8	11/16-16	19	48,5	6,5	19	1,5	34	34	630	840
RK2750-12-12	12	1/2	13/16-16	20,5	51	9,5	19	2,5	36,5	20,6	630	840
RK2750-14-14	14	-	1-14	23,5	56,5	12,5	27	2,5	40,5	25,5	400	530
RK2750-15-15	15	-	1-14	23,5	56,5	12,5	27	2,5	40,5	25,5	400	530
RK2750-16-16	16	5/8	1-14	23,5	56,5	12,5	27	2,5	40,5	25,5	400	530
RK2750-18-18	18	-	1-3/16-12	26	60,5	15,5	30	3	41,5	30,2	400	530
RK2750-20-20	20	3/4	1-3/16-12	26	60,5	15,5	30	3	41,5	30,2	400	530
RK2750-22-22	22	-	1-7/16-12	30	65	20,5	36	3	42	36,5	400	530
RK2750-25-25	25	1	1-7/16-12	30	65	20,5	36	3	42	36,5	400	530
RK2750-28-28	28	-	1-11/16-12	32	67	26	41	3	42	43	250	330
RK2750-30-30	30	-	1-11/16-12	32	67	26	41	3	42	43	250	330

Kod towaru	T Ø mm	T Ø cal	F	B mm	Y mm	D mm	CH mm	C mm	E mm	W mm	Ciśnienie robocze bar	Ciśnienie max bar
RK2750-32-32	32	1 1/4	1-11/16-12	32	67	26	41	3	42	43	250	330
RK2750-35-35	35	-	2-12	37	67	32	50	3	42	50	200	330
RK2750-38-38	38	1 1/2	2-12	37	67	32	50	3	42	50	200	330