





Średnice Flansz

Liczba wariantów: **79**

N - liczba śrub



ZESKANUJ MNIE

Warianty produktu

DIN PN 6	-	-	-	-	-
ND	Rozmiar cal	D mm	K mm	N mm	D2 mm
15	1/2	80	55	4	11
20	3/4	90	65	4	11
25	1	100	75	4	11
32	1 1/4	120	90	4	14
40	1 1/2	130	100	4	14
50	2	140	110	4	14
65	2 1/2	160	130	4	14
80	3	190	150	4	18
100	4	210	170	4	18
125	5	240	200	8	18
150	6	265	225	8	18
200	8	320	280	8	18
250	10	375	335	12	18

DIN PN 6	-	-	-	-	-
300	12	440	295	12	22
DIN PN 10	-	-	-	-	-
ND	-	D mm	K mm	N mm	D2 mm
15	-	95	65	4	14
20	-	105	75	4	14
25	-	115	85	4	14
32	-	140	100	4	18
40	-	150	110	4	18
50	-	165	125	4	18
65	-	185	145	4/8	18
80	-	200	160	8	18
100	-	220	180	8	18
125	-	250	210	8	18
150	-	285	240	8	22
200	-	340	295	8	22
250	-	395	350	12	22

DIN PN 6	-	-	-	-	-
300	-	445	400	12	22
DIN PN 16	-	-	-	-	-
ND	"	D mm	K mm	N mm	D2 mm
15	1/2	95	65	4	14
20	3/4	105	75	4	14
25	1	115	85	4	14
32	1 1/4	140	100	4	18
40	1 1/2	150	110	4	18
50	2	165	125	4	18
65	2 1/2	185	145	4	18
80	3	200	160	8	18
100	4	220	180	8	18
125	5	250	210	8	18
150	6	285	240	8	22
200	8	340	295	12	22
250	10	405	355	12	26

DIN PN 6	-	-	-	-	-
300	12	460	410	12	26
DIN PN 25	-	-	-	-	-
ND	-	D mm	K mm	N mm	D2 mm
15	-	95	65	4	14
20	-	105	75	4	14
25	-	115	85	4	14
32	-	140	100	4	18
40	-	150	110	4	18
50	-	165	125	4	18
65	-	185	145	8	18
80	-	200	160	8	18
100	-	235	190	8	22
125	-	270	220	8	26
150	-	300	250	8	26
200	-	360	310	12	26
250	-	425	370	12	30

DIN PN 6	-	-	-	-	-
300	-	485	430	16	30
DIN PN 40	-	-	-	-	-
ND	-	D mm	K mm	N mm	D2 mm
15	-	95	65	4	14
20	-	105	75	4	14
25	-	115	85	4	14
32	-	140	100	4	18
40	-	150	110	4	18
50	-	165	125	4	18
65	-	185	145	8	18
80	-	200	160	8	18
100	-	235	190	8	22
125	-	270	220	8	26
150	-	300	250	8	26
200	-	375	320	12	30
250	-	450	385	12	33

DIN PN 6	-	-	-	-	-
300	-	515	450	16	33