

Nr katalogowy	ID mm	OD cal	OD mm	WP bar	BP bar	Vacuum bar	R min. mm	W g/m	L m
PWK-19 KEMI SD/10 EPDM	19	3/4	30	10	40	-0,92	75	605	40-46-61
PWK-25 KEMI SD/10 EPDM	25,4	1	36	10	40	-0,92	100	720	40-46-61
PWK-32 KEMI SD/10 EPDM	32	1 1/4	44	10	40	-0,92	125	1020	40-46-61
PWK-38 KEMI SD/10 EPDM	38	1 1/2	51	10	40	-0,92	150	1355	40-46-61
PWK-45 KEMI SD/10 EPDM	44,5	1 3/4	58	10	40	-0,92	190	1625	40-46-61
PWK-51 KEMI SD/10 EPDM	50,8	2	66	10	40	-0,92	225	2080	40-46-61
PWK-63 KEMI SD/10 EPDM	63,5	2 1/2	79	10	40	-0,92	280	2700	40-46-61
PWK-70 KEMI SD/10 EPDM	70	2 3/4	86	10	40	-0,92	315	3005	40-46-61
PWK-76 KEMI SD/10 EPDM	76,2	3	82	10	40	-0,92	340	3240	40-46-61

Nr katalogowy	ID mm	OD cal	OD mm	WP bar	BP bar	Vacuum bar	R min. mm	W g/m	L m
PWK-102 KEMI SD/10 EPDM	101,6	4	118	10	40	-0,92	455	4050	40-46-61